




PPC INSULATORS



# USER GUIDE

**New PPC eQuoter app.**


Requesting quotes for  
PPC products on the go.

# PPC Insulators / eQuoter

## Main purpose



### PPC eQuoter App



PPC eQuoter is an all-round tool designed to help customers find, select and request a quote for the required PPC insulator online and on the go.

# PPC Insulators / eQuoter Usage and access




PPC eQuoter can be used either as mobile or desktop application.


- as a mobile application on your phone or tablet, you have to download the application from either Android or Apple store.
- search for **eQuoter App**.



- on your computer you can simply visit [www.ppcequoter.com](http://www.ppcequoter.com)



# PPC Insulators / eQuoter Interface



# PPC Insulators / eQuoter Products Selection menu



Searching for a specific type of ANSI insulator or T&D insulator is quick and simple:

## Post Insulators:

By selecting TR number (1) or PPC Part Number (2) or Basic Insulation Level (BIL) and Cantilever Strength (3) a full specification list is displayed.

## T&D Insulators:

A full specification list with a product picture and dimensions are displayed by selecting either the ANSI number (1) or the PPC Part Number and Type (2 and 3).



ANSI STATION POST PRODUCT SELECTION

1. TR Number \*

OR

2. PPC Part Number \*

OR

3. BIL \*

Cantilever

CONTINUE

T&D PRODUCT SELECTION

1. ANSI Number \*

OR

2. PPC Part Number \*

OR

3. TYPE \*

CONTINUE

Spool Insulators	
Catalog Number	5101
ANSI TECHNICAL REFERENCE	53-2
Dimensions (Inches)	
H - Height ( $\pm 1/16''$ )	3"
D - Diameter ( $\pm 1/16''$ )	3.11"
N - Neck Diameter ( $\pm 1/8''$ )	1.75"
W - Wire Grooves Radius	0.709"
E - Hole Diameter ( $+ 1/16'' - 0$ )	0.709"

# PPC Insulators / eQuoter ANSI Station Post or T&D product catalogues SELECTION RESULTS



The screenshot displays the PPC eQuoter interface. On the left is a dark blue sidebar with navigation options: HOME, ANSI STATION POST PRODUCT SELECTION, ANSI STATION POST PRODUCT INVENTORY, T&D PRODUCT SELECTION, T&D PRODUCT INVENTORY, TRACK YOUR ORDER, ABOUT, CONTACT, and CART. The main content area is white and titled 'ANSI STATION POST CATALOGUE RESULTS'. It features a yellow header bar with a 'GO TO MENU' button and a 'SEND TO CART' button. Below this is a table with the following data:

BIL	95
CATALOG NUMBER	95 SU
ANSI TECHNICAL REFERENCE	TR202

Below the table is a section titled 'Dimensions' with the following data:

Leakage Distance (in)	10.5
Height (in)	8
Max Shed Diameter (in)	7.1
Top BCD (in)	3
Diameter Dt (in)	3.9
Bottom BCD (in)	3

Red boxes highlight the 'GO TO MENU', 'SEND TO CART', and 'GO TO CART' buttons. A red arrow points from the 'SEND TO CART' button to the 'GO TO CART' button.

PPC eQuoter provides a full list of PPC products with technical specs, including physical dimensions, mechanical parameters, electrical parameters, Radio Interference Voltage (RIV) data and insulator weight.

Each product from **ANSI Station Post or T&D product Catalogue**

can be quoted by clicking SEND TO CART button. After results are displayed two options GO TO MENU and GO TO CART are available.

# PPC Insulators / eQuoter ANSI Station Post or T&D Product PLACING QUOTE



The screenshot displays the eQuoter interface. At the top, a 'CART' section shows a table with columns: BIL, TR Number, PPC Part Number, and QTY. The table contains one row: 95 (kV), TR202, 95 SU, and 1. Below the table are buttons for 'CONFIRM QUANTITIES' and 'REMOVE ALL ITEMS'. A red arrow points from the 'REMOVE ALL ITEMS' button to a 'SUBMIT REQUEST' button. To the right, a 'Quote Request' form is visible, containing fields for Name, E-Mail, Company, ZIP Code, Phone, Country, City, and Street Address. Below these fields, a table shows 'Catalog N' as 95 SU and 'Qty' as 1. A 'Message' field and a 'SEND' button are at the bottom of the form.

BIL	TR Number	PPC Part Number	QTY
95 (kV)	TR202	95 SU	1

CONFIRM QUANTITIES

REMOVE ALL ITEMS

SUBMIT REQUEST

### Quote Request

Name \*

E-Mail \*

Company \*

ZIP Code \*

Phone

Country \*

City

Street Address

Catalog N	Qty
95 SU	1

Message

SEND

In CART, quantities of the selected product can be amended in QTR field. Once the right quantity is added, it should be confirmed by clicking CONFIRM QUANTITIES window.

By selecting SUBMIT REQUEST, the Quote Request Contact Field pops-up with four mandatory fields and message field.

# PPC Insulators / eQuoter Realtime Inventory List LOGIN



To access Realtime Inventory List of ANSI Station Post or T&D Products, IDENTIFICATION ID & PASSWORD should be entered and LOGIN selected.

To get identification ID and password, ACCESS REQUEST should be selected and Access Request Form filled out.

In case password was forgotten, it can be retrieved by clicking FORGOTTEN PASSWORD.

The image shows a mobile application interface. On the left is a dark blue navigation menu with white icons and text for: HOME, ANSI STATION POST PRODUCT SELECTION, ANSI STATION POST PRODUCT INVENTORY, T&D PRODUCT SELECTION, T&D PRODUCT INVENTORY, TRACK YOUR ORDER, ABOUT, CONTACT, and CART. On the right is a white login screen with the word 'LOGIN' at the top. It features two input fields: 'Identification ID \*' and 'Password \*'. Below these is a checkbox labeled 'REMEMBER ME'. At the bottom of the login screen are three buttons: 'LOGIN' (yellow), 'FORGOT PASSWORD' (yellow), and 'ACCESS REQUEST' (blue).

# PPC Insulators / eQuoter Realtime Inventory List SELECTION MENU



REALTIME INVENTORY LIST

1. TR Number \*

OR

2. PPC Part Number \*

OR

3. BIL \*

Cantilever

CONTINUE

By selecting TR number (1) or PPC Part Number (2) or Basic Insulation Level (BIL) and Cantilever Strength (3), **ANSI Station Post** Catalogue provides full specification list of all PPC ANSI insulators.

T&D REALTIME INVENTORY

1. ANSI Number \*

OR

2. PPC Part Number \*

OR

3. TYPE \*

CONTINUE

Identical system for selection applies for **T&D products**:

A full specification list with a product picture and dimensions are displayed by selecting either the ANSI number (1) or the PPC Part Number and Type (2 and 3).

# PPC Insulators / eQuoter

## Realtime Inventory List SELECTION RESULTS



Realtime Inventory List provides a list of PPC products on stock, with technical specs, physical dimensions, mechanical parameters, electrical parameters, Radio Interference Voltage (RIV) data and insulator weigh.

Each product from Realtime List can be quoted by clicking SEND TO CART button. After results are displayed, the options GO TO MENU and GO TO CART are available.

Identical system applies to both product categories  
**ANSI Station Post insulators**  
**T&D products**

The screenshot displays the eQuoter interface. On the left is a dark blue sidebar menu with icons and text for: HOME, ANSI STATION POST PRODUCT SELECTION, ANSI STATION POST PRODUCT INVENTORY, T&D PRODUCT SELECTION, T&D PRODUCT INVENTORY, TRACK YOUR ORDER, ABOUT, CONTACT, and CART. The main content area is white and shows 'ANSI STATION POST CATALOGUE RESULTS'. At the top right of this area is a 'T&D REALTIME INVENTORY' header with a stylized atom icon. Below the header are two yellow buttons: 'GO TO MENU' and 'GO TO CART', both highlighted with red boxes. The main content displays product details for 'BIL 95':

CATALOG NUMBER	95 SU
ANSI TECHNICAL REFERENCE	TR202

Below this is a 'Dimensions' section with a table:

Leakage Distance (in)	10.5
Height (in)	8
Max Shed Diameter (in)	7.1
Top BCD (in)	3
Diameter Dt (in)	3.9
Bottom BCD (in)	3

At the bottom right of the main content area, a yellow 'GO TO CART' button is highlighted with a red box, and a red arrow points from the 'GO TO CART' button in the top right to this button.

# PPC Insulators / eQuoter Realtime Inventory List PLACING QUOTE



CART

BIL	TR Number	PPC Part Number	QTY
95 (kV)	TR202	95 SU	<input type="text" value="1"/>

CONFIRM QUANTITIES

REMOVE ALL ITEMS

SUBMIT REQUEST

### Quote Request

Name \*

E-Mail \*

Company \*

ZIP Code \*

Phone

Country \*

City

Street Address

Catalog N	Qty
95 SU	1

Message

SEND

In CART, quantities of selected product can be amended in the QTR field. Once the right quantity is added, it should be confirmed by clicking the CONFIRM QUANTITIES window.

By selecting SUBMIT REQUEST, the Quote Request Contact Field pops-up with four mandatory fields and message field.

# PPC Insulators / eQuoter Realtime TRACK YOUR ORDER




A new function of eQuoter is the ability to track a placed order.

To get access to this function IDENTIFICATION ID & PASSWORD should be entered and LOGIN selected.

Order data, including EX-Works\* delivery dates are available instantly.

\* EX WORKS date is the date the product is available to ship from one of the PPC warehouses. Allow extra time for transit / transportation.



## TRACK YOUR ORDER

PPC Sales Order number \* or Customer PO number \*

SHOW ORDER DATA

Utilizing PPC Sales Order number or customer PO number the specific order can be tracked.

## TRACK ALL ORDERS BY CUSTOMER CODE

Customer code \*

SHOW ALL ORDERS DATA

Multiple orders can be tracked for a customer by putting in a Customer Code.

# PPC Insulators / eQuoter CONTACT possibilities



The screenshot displays the PPC Insulators website interface. At the top right, the email address [eQuoter@ppcinsulators.com](mailto:eQuoter@ppcinsulators.com) is highlighted with a red box. The left sidebar contains a menu with the following items: HOME, ANSI STATION POST PRODUCT SELECTION, ANSI STATION POST PRODUCT INVENTORY, T&D PRODUCT SELECTION, T&D PRODUCT INVENTORY, TRACK YOUR ORDER, ABOUT, CONTACT (highlighted with a red box), and CART. A red arrow points from the CONTACT menu item to a modal window.

CONTACT

## PPC eQuoter app

**PPC USA**

ADDRESS  
363 N. Sam Houston Pkwy #700 ,  
Houston 77060 - TX - United States

PHONE  
+1 281 257 8222

FAX  
+1 281 257 8225

E-MAIL  
[eQuoter@ppcinsulators.com](mailto:eQuoter@ppcinsulators.com)